

# **SAFETY DATA SHEET**

## 1. IDENTIFICATION

PRODUCT NAME DAVCO K10 GRS 2000

CHEMICAL FAMILY Polyurethane Liquid Membrane

**EMERGENCY CONTACT** ParexGroup Pte Ltd

28 Tuas South Avenue 8 Singapore 637648

Telephone: 65-68610632

## 2. HEALTH HAZARD IDENTIFICATION

#### THIS MATERIAL IS AN IRRITANT AND IS FLAMMABLE.

**EYES** High vapour concentration can cause eye irritation

**SKIN** May cause irritation and redness. May aggravate

an existing dermatitis condition.

**INHALATION** High vapour concentrations are irritating to

respiratory tract, and may cause headaches, dizziness, anesthesia, drowsiness and unconsciousness, and other central nervous

system effects.

INGESTION Small amounts of liquid aspirated into the

respiratory system during ingestion or vomiting

may cause mild to severe pulmonary injury.

**CHRONIC** No specified information available.



## 3. INFORMATION ON INGREDIENTS

COMPONENT	PROPORTION	CAS No.
Urethane Resin	Medium	N. P.
Aromatic Solvent	Medium	1330-20-7
Bitumen	Medium	N. A.
Additives	Low	N. A.
High - > 60%	Medium – 10 – 60%	Low - < 10%

#### 4. FIRST AID MEASURES

EYES Hold and open eye lid and rinse and irrigate with

plenty of water for 20 min, and consult a doctor

**SKIN** Wash off with soap and water. Remove

contaminated clothing. If irritation persists, seek

medical attention.

**INHALATION** Move to fresh air and rest. Consult doctor if effects

persist.

**INGESTION** Do not induce vomiting. Keep at rest. Seek medical

attention.

# 5. FIRE FIGHTING MEASURES

**FLASH POINT** 27.2°C (closed cup)

**FLAMMABLE LIMIT** 

LOWER Not Available UPPER Not Available

**EXTINGUISHING MEDIA** Foam, CO<sub>2</sub>, Dry chemical.

SPECIAL FIRE FIGHTING

**PROCEDURE** 

Do not use water in a jet. Wear breathing apparatus.



#### 6. ACCIDENTAL RELEASE MEASURES

Avoid direct skin or eye contact. Stop pedestrians from walking through the spill. Contain and collect the spilt material using sand, earth or other absorbent material. Transfer the recovered material into containers for disposal. Do not allow material to enter drainages or waterways.

#### 7. HANDLING AND STORAGE

HANDLING Avoid contact with eyes, skin and clothing. Keep

away from children.

STORAGE Keep containers tightly closed and store in a dry

and well ventilated area.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROL**Use adequate ventilation to avoid high vapour

concentrations

PERSONAL PROTECTION Precaution should be taken to avoid skin or eye

contact or swallowing the product. When handling or mixing the product, avoid inhaling vapour. Wear only a European Standard EN149 or N95 NIOSH certified respirator, safety glasses with side-sheild (frame goggles) (EN166), chemical resistant apron and boots. Suitable safety gloves according to EN420 or suitable chemical resistance safety gloves according to EN374. Always wash hand

before eating, drinking or visiting the toilet.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE
ODOUR
NON VOLATILE BY WT.
Black liquid
Aromatic
Approx. 80 %

**pH** N. A. **SOLUBILITY IN WATER** Insoluble

VISCOSITY

FREEZING POINT

BOILING POINT

VAPOUR PRESSURE

SPECIFIC GRAVITY

VAPOUR DENSITY

Not Determined

Not Determined

Not Determined

Approx. 1.25

Not Determined



#### 10. STABILITY AND REACTIVITY

**STABILITY** Stable at normal temperatures.

**MATERIALS AND CONDITIONS TO AVOID**  Strong oxidizing agents, Direct sun and naked

flame and ignition

**PRODUCTS** 

HAZARDOUS DECOMPOSITION Products of combustion are oxides of carbon

#### 11. TOXICOLOGICAL INFORMATION

**INGESTION** Small amounts of liquid aspirated into the

respiratory system during ingestion or vomiting

may cause mild to severe pulmonary injury.

**INHALATION** High vapour concentrations are irritating to the

> eyes and respiratory tract, and may cause headaches, dizziness, anesthesia, drowsiness and unconsciousness, and other central nervous

system effects.

**SKIN CONTACT** Moderate systemic toxicity through the skin

**EYE CONTACT** Will cause transient discomfort and irritation.

# 12. ECOLOGICAL INFORMATION

This material is not known as biodegradable.

#### 13. DISPOSAL CONSIDERATIONS

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers.

Empty drums should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.



## 14. TRANSPORT INFORMATION

UN Number 1307
IMO Class 3.3
ICAO/IATA Class 3
PSA Group 2S
Proper Shipping Name Xylenes
Marine Pollutant No

#### 15. REGULATORY INFORMATION

Classification / Symbol Flammable / F Classification / Symbol Harmful / Xn

#### 16. OTHER INFORMATION

The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. Any suggestion and recommendations made are without guarantee and liability since conditions of use are beyond our control. Appropriate warning and safe handling procedures should be provided to all those who handle and use the product and no liability can be accepted for any loss, injury or damage resulting from its use.

N. A. = Not Applicable

N. P. = Classification Not Possible

Date of Issue: Aug 2016 (Rev.04)